

JNM DISPLAY CO.,LTD

JNM Display has been an expert and market leader in the field of LCD display since 2006, as total solutions for display.



CONTENTS

1. COMPANY GENERAL STATUS

- 1-1. Company overview & Organization
- 1-2. History
- 1-3. Vision
- 1-4. Main product summary

2. MAIN PRODUCT

- 2-1. Product type & Touch
- 2-2. High brightness –Sunlight readable
- 2-3. Transparent LCD Box for Commercial
- 2-4. Bar & Shelf type monitor
- 2-5. Board Solution: ANDROID & PC BOARD
- 2-6. Application

3. Production management

- 3-1. Factory, Office & Equipment
- 3-2. QA System: PROJECT / 4M / RMA
- 3-3. Certification: ISO9001, Laboratory, Design



COMPANY GENERAL STATUS


- 1. Company overview & Organization
- 2. History
- 3. Vision
- 4. Main product summary
 - Industrial / Commercial / Casino / Board



1-1. Company overview & Organization



Company name	JNM Display Co., Ltd
CEO	Daniel Cho
Date of establishment	17 th Jun. 2006
Business Area	 ✓ Advertisement ✓ Casino & Gaming ✓ Industrial (Parking lot, information, kiosk, charger station etc.) ✓ Android / PC Board
Website	www.jnmdisplay.com
Address	B-607, B-111~114, 117 SK Twin Tower 119 Gasan Digital 1-Ro, Geumchecon-gu, Seoul, 08589 TEL: 02-2647-1676, FAX: 02-2647-1677







1-2. History



2006-2010

'06 JNM DISPLAY established MP for Sunlight Readable LCD '07 MP for industrial AD board

07 MP for industrial AD board MP for Sunlight readable LED

'08 Sunlight readable LED Line-up (6.4"~38")

'09 Supplied CCTV Monitor (Japan)

'10 Developed LED DRIVER for high brightness 40", 42", 55" (1,200~1,500nit)

<Exhibition>
ATI Show 2006 in UKC
COMPUTEX 2007 TAIWAN
COMPUTEX 2009 TAIWAN
Digital signage, kiosk KOREA 2010
INFORCOM 2010 HONGKONG

2011-2015

'11 Developed LCD Waterproof MNT
'12 Developed Transparend LCD Box MNT
'13 Developed DS L monitor
R&D center established

'14 Japan BR. established (Tokyo)
Developed 42" Curved LCD

'15 32" Developed Curved LCD

<Exhibition>
World IT Show 2011
GP JAPAN 2011
G2E 2011, 2012, 2013
ISE 2011, 2012
INFOCOMM 2012 in Las Vegas
ELECTRONICA 2012 in MUNCHEN
FINETECH in TOKYO 2013
COMMUNIC ASIA 2013
COMPUTEX in TAIWAN 2014
ICE 2014, 2015

2016-2020

'16 High Brightness MP 21.5" & 23.8"

'17 ISO-9001' Certified Developed 43" Curved LCD

'18 Auto pay machine at Incheon Airport Supplied Kangwon Land for Casino German BR. established (Dusseldorf)

'19 ISO-9001' Certified
Supplied Kangwon Land for Casino in a row
Developed Android solution

'20 Developing Android B/D for SEGA Entering Charger station Market

<Exhibition>
ICE 2016, 2017, 2020
ELECTRONICA 2016 In MUNCHEN
ISE 2017, 2020 in Amsterdam
Embedded world 2018, 2019, 2020 in Germany
G2E 2018, 2019
DSJ2019, 2020 in Japan

1-3. Vision





1-4. Main product summary



✓ INDUSTRIAL – High brightness LCD

- JNM Display is specialized in production of LED Panel and LED driver which are widely utilized in various locations such as outdoor parking lot, charger station, ATM and kiosk at drive thru.
- It's available to secure outstanding visibility under intense sunlight and we can serve you the solution for overheat.
- In addition, ultra high brightness LCD(over 2,000cd m^2) provides you with more vividness.



CASINO & GAMING

HIGH BRIGHTNESS

SOLUTION

BOARD

ADVERTISEMENT

✓ Casino & Gaming – Open frame & Curved LCD

- As high brightness LCD manufacturer, we have been supplying 21.5", 23", 23.8", 27", 32", 43" panel or open frame monitor fit in customer's cabinet size to casino market.
- The latest casino trend is slim but high brightness and LED bar design to engage customer.
- If you are interested in, feel free to contact us.





✓ ADVERTISEMENT – Transparent LCD

- Transparent LCD operates by using ambient light without internal backlight.
- It enables you to look through the display like glass on an exhibit or product behind it.
- This product is dedicated for creative people who make the content for such signage solutions, AV system.

✓ Board - Android / PC Board

- JNM display provides you with board solution such as RK-3368, SAH-M56.
- Many customer recently adopt board solution from traditional PC since cost-cutting and convenient to use.
- With the experience of cooperation with global companies, it's possible for us to customize H/W and S/W.




Main Product

- 1. Product type & Touch
- 2. **High brightness** for Industrial
- 3. **Transparent LCD Box** for Commercial
- 4. **Bar & Shelf type** monitor
- 5. **Board Solution**: ANDROID & PC BOARD
- 6. Application



2-1. Product type & Touch









Panel + LED driver + AD Board + Metal (w/o Front bezel)







Panel + LED driver + AD Board + Metal

Optional: Android & PC board (referring to 2-5. board solution)

P-cap

Touch

High transmittance & Durability 10point Multi Touch Avail. KIOSK, ATM, Smartphone, Gaming etc.

Resistive

Low cost 4 / 5 point Multi Touch avail. Method: finger, stylus pen etc


IR

Big size Avail. Transmittance 100%

Touch sensor & Glass tooling(Size and Thickness) rain waterproof for outdoor available Optional: Optical bonding

2-2. High brightness for Industrial





HIGH BRIGHTNESS (UP TO 3,000m^2)

JNM LED DRIVER for high brightness tech.

(MTBF: 50K)

Outstanding visibility

Overheat solution avail.

Low power consumption

Wide temperature and size (7" ~ 85")

For outdoor use (*Auto-dimming avail.)





Normal TET

Sun Readable TFT



Strengt h

OPTIMAL VISIBILITY

→ Top Polarizer→AR Film

→ Panel Glass

→ Bottom Polarizer→D-BEF Film

→ Prism Sheet

→ Diffuser

→ Light Guide Plate

→ Reflector Sheet





TransFlective Film (Anti Reflection)
D-BEF Film
(Double brightness enhanced film)
Improve Visibility under Sunlight
For outdoor use




2-3. Transparent LCD Box for Commercial



Transparent LCD Box

Various size (7" ~ 55", BAR TYPE available)
Place a 'product' back of transparent LCD
Using BOX, Make your product Outstanding
Media board plays music fit to object
Optional: Touch









It has light source in the box and enables you to look through the display Simple switch on back of the box can easily turn on/off the power







Market your valuable product with Transparent LCD BOX – Music and captivating visuals of JNM display

2-4. Bar, Shelf type monitor



Bar type – Shelf type Display

Reliable Maker (LG, Innolux, AUO)

[Bar type]

- Various application
- Special Panel Form
- Available Sizes: 15.1"~49.5"

[Shelf type]

- Full-touch screen
- Collect BIG DATA
- Easy Control
- Available Sizes: 22.9"~29"

Bar-Type Monitor







*49.5" Closed frame monitor

Shelf-Type Monitor (In-cell touch)










2-5. Board Solution - Android Board Technical support available for User Interface



RK3368 is Low power, high performed processor for smartphone, personal internet device and other digital multimedia applications.

RockChip RK3368 Octa-core



*Feature

- 8GByte eMMC Memory (Optional up to 64GByte)
- Dual-channels TFT LCD interface with 4-layers,
- Maximum display size: 3840x2160.
- 1CH/2CH LVDS Interface for LCD 6bits, 8 bits
- 1lane/2lane eDP interface for LCD 1.62Gbps/2.7Gbps
- HDMI 1.4/v2.0 Support (4K2K support)
- MIPI DSI Interface
- 6-Port USB external 2port / internal 4port
- IEEE802.3 10/100/1000Mbps with Twisted-Pare
- IEEE802.11b/g/n WIFI with Bluetooth 4.0(Optional IEEE802.11a/b/g/n/ac)
- MicroSD/SDHC 1 Slot(Max. 32GByte)
- UART : internal 1port
- External Speaker : $2W + 2W (8\Omega)$, $2.9W + 2.9W(4\Omega)$
- Headset interface port(stereo headphone with MIC)
- Micro USB OTG 1port
- Camera Interface: 1port MIPI CSI
- Keypad Interface : Back, Home, Volume+/-, PowerOn(Option B/D)
- IR Remote control interface
- Form factor: 140 x 95 x 20 mm
- I2C Interface for Touch(Optional)
- Operating temperature: 0 to 50°C
- Power: 12V DC Power adaptor, SMPS (Optional select)
- Mirror Link(Wifi Direct With Mobile (General Wi fi-Option)
- Smart Remote Control With Mobile (Power On/Off, Auto Dimming Option)
- Application : Out of home advertising, Automated Parking System Digital signage, etc







2-5. Board Solution - PC Board

Technical support available for User





SAH-M56(D6L)

Intel® Celeron J1900/2.0GHz Quad core processor



SAH-M36(I516L)

Intel® Skylake i5 6267U 2.9GHz dual core processor



Charger station



Mini-ITX Motherboard

- •Intel® Celeron J1900/2.0GHz Quad core processor, TDP 10W
- · Adopt Intel® Bay trail SOC chipset
- •Integrated Intel® HD Graphics Support DirectX* 11.1, OpenGL 3.2
- ·1*SODIMM memory slot, 1600/1333MHz DDR3L/1.35V, max up to 8GB
- -1 x COM (RS-232/422/485), 5 x COM (RS-232)
- •1 x HDMI, 1 x D-Sub, 1 x Dual Channel 24-bit LVDS
- •1 x USB 3.0, 7 x USB 2.0, 2 x SATA3
- •1 x mini-PCle, 1 x mSATA
- Gigabit LAN: 1 x Realtek Lan
- •12 V DC-in
- · Window 10, Window 8, Window 7, Linux Supported

*Feature

Mini-ITX Motherboard

- •Intel® Skylake i5 6267U 2.9GHz dual core processor
- ·Intel® Iris Graphics 610, support DirectX 12, Open GL 4.5, 4K/60Hz
- ·Adopt 6TH Gen Intel® Core Processor Platform chipset
- •Integrated Intel® HD Graphics Support DirectX* 11.1, OpenGL 3.2
- •2*SODIMM memory slot, 1600MHz DDR3L/1.35V, max up to 32GB
- -1 x COM (RS-232/422/485), 5 x COM (RS-232)
- •1 x HDMI, 1 x D-Sub, 1 x Dual Channel 24-bit LVDS
- •2 x USB 3.0, 6 x USB 2.0, 1 x SATA3
- •1 x mini-PCle, 1 x mSATA
- •Gigabit LAN: 1 x Realtek Lan
- •12 V DC-in
- · Window 10, Window 8, Window 7, Linux Supported

2-6. Application



Sunlight Readable recommended

Transportation	Time board (Airport, Bus terminal, railway station etc), on board display
Advertisement	Shopping mall, Department store, Discount store, Shop & Store, Bus stop, Kiosk
Point of sales	Electronic menu board, Vending machine, point on sale
Gas station	Gas pump station
Factory Automation	Display monitor
Financial	Bank, Financial exchange, Stock exchange, ATM
Control Center	Fire, Electricity, Airport control, Traffic control, Military
Office board	Conference Room, Video Conference, Meeting Room
Event & Rental	Concert , Exhibition, Convention, Show & Trade show
Education	Classroom use for AV
Entertainment	Museum, Hotel lobby, Bar, Restaurant, VIP room, Fitness club
Pipe inspection	Display monitor















Production management

1. Factory, Office & Equipment

2. QA System: PROJECT / 4M / RMA

3. Certification: ISO9001, Laboratory, Design



3-1. Factory & Office











Clean Room

Management and Sales Team, Lab Office

3-1. Equipment







Pol. Attachment M/C


Master, MSPG-925LTH

Master, MSVD-250N-20/15

Lecroy, Wavejet354


3-2. QA System - PROJECT






3-2. QA System – 4M





3-2. QA System – RMA





3-3. Certification * ISO 9001:2015, Laboratory, Design registration

종업원 수

부대 시설 면적(㎡)

(서명 또는 인)

제 30-1039091 호

2019년 03월 13일

2019년 12월 23일

심 사 등 록

제 30-2019-0011394 호

서울특별시 금천구 가산디지털1로 119, 에스케이트윈테크타워비용607호(가산동)

서울특별시 금천구 가산디지털1로 119, B등 402호(가산동, SK트윈테크타워)

has been registered at the Korean Intellectual Property Office.

위의 디자인은 「디자인보호법」에 따라 디자인등록원부에 등록되었음을

This is to certify that, in accordance with the Design Protection Act, a design

남:10 여:6



NTREE

Certificate of Registration

(주)제이앤엒디스플레이

본사 : 서울특별시 금천구 가산디지털1로 119, B-402 (가산동, 에스케이트윈테크타워) 공장 : 서울특별시 금천구 가산디지털1로 119, B-607 (가산동, 에스케이트윈테크타워)

상기 기업의 품질경영시스템이 다음 표준과 인증범위에 대해 적합함을 엔트리인증원이 인증합니다.

> [인 중 표 준] ISO 9001:2015

[인 증 범 위]

산업용 LCD 모니터, 고감도패널, 투명모니터의 개발 및 제조


【유효기간】

2019년 12월 20일부터 2022년 12월 19일까지 (최초인증일자: 2016년 12월 20일) 표본 인증시는 심사주기에 의한 사후관리십시대시 반족하였을 경우에 만하여 유효기간동안 효력이 발생됨. 인증번호: NTQ-2235 발행일자: 2019년 12월 12일

제말행 사유 : 정신, 인증원 상호 면접











제14류 디자인의 대성이 되는 용품 Product 디스플레이용 모니터

디자인권자 Outer (주)제이앤덴디스플레이(110111-******) 서울특별시 궁천구 가산디지털1로 119, 에스케이트윈테크타워비롱607호(가산롱)

조朔(721113.****** 서울특별시 금천구 가산디지털1로 119, B동 402호(가산동, SK트윈테크타워)

위의 디자인은 「디자인보호법」에 따라 디자인등록원부에 등록되었음을 증명합니다.

This is to certify that, in accordance with the Design Protection Act, a design has been registered at the Korean Intellectual Property Office.



Property Office

2019년 12월 23일 특허청장

KOREAN INTELLECTUAL PROPERTY OFFICE

위의 디자인은 「디자인보호법」에 따라 디자인등록원부에 등록되었음을 증명합니다. This is to certify that, in accordance with the Design Protection Act, a design

has been registered at the Korean Intellectual Property Office.



Property Office

특허청장 COMMISSIONER KOREAN INTELLECTUAL PROPERTY OFFICE





조현(721113-*****)

증명합니다.

2019년 12월 23일 QR코드로 현재기준 등록사항을 확인하세요 특허청장

KOREAN INTELLECTUAL PROPERTY OFFICE

CERTIFICATE OF DESIGN REGISTRATION

증위번호

988

Filing Date 등록일

등록의 구분

暴暴暴 Care 제14류

디자인권자 Owner

대자인의 대상이 되는 물품 Product

(주)제이앤엠디스플레이(110111-******)

디스플레이용 모니터

제 30-1054388 호

2019년 03월 13일

2020년 04월 07일

심사동목

제 30-2019-0011393 호

서울특별시 금천구 가산디지털1로 119, 에스케이트윈테크타워비동607호(가산동)

서울특별시 금천구 가산디지털1로 119, B동 402호(가산동, SK트윈테크타위)

2020년 04월 07일



Thank you



For more information, info@jnmdisplay.com

Office: +82-2-2647-1676

www.jnmdisplay.com